Name:
 \_\_\_\_\_\_
 Section:

Names of collaborators: \_\_\_\_\_

## 1. Hand-sketching Graphs

In Section 4.5, we put together all that we know about graphs from algebra, precalculus, and calculus to sketch graphs of functions. When graphing a function, ask yourself the following seven questions:

- 1. **Domain** What is the domain of the function? Are there any numbers for which f(x) is undefined?
- 2. Intercepts What are the x- and y-intercepts?

To find the x-intercept, set y = f(x) equal to zero and solve for x. To find the y-intercept, plug in x = 0.

3. **Symmetry** Is the function even? odd? periodic?

Even: symmetric across the y-axis: f(-x) = f(x) for all x Odd: symmetric about the origin: f(-x) = -f(x) for all x Periodic: The function repeats (like sin x, cos x, etc.)

- 4. Asymptotes What are the horizontal and vertical asymptotes? (Use limits!) Slant asymptotes?
- 5. Intervals of increase and decrease Where is f(x) increasing/decreasing? (Look at the first derivative!)
- 6. Local maxima and minima Are there any local max/min values? What are their locations?
- 7. Concavity and Inflection Points Where is f(x) concave up/down? Are there any points (x, y) on the graph where f switches concavity? (Look at the second derivative.)

## Exercises

- 1. Consider the function  $f(x) = \frac{x}{(x-1)^2}$ . (See Example 4.5.1.)
  - (a) Domain:

(b) Symmetry:

(c) Intercepts:

(d) Asymptotes:

(e) Intervals of increase and decrease:

(f) Local max/min values and locations:

(g) Concavity and inflection points:

(h) Sketch the graph:

## 2. Using Mathematica to Refine Graph Sketches

- 2. Consider the function  $f(x) = x^6 10x^5 400x^4 + 2500x^3$ . (See Example 4.6.1.)
  - (a) Using *Mathematica*, graph f(x), f'(x), and f''(x), and estimate the roots (x-intercepts) of each of these polynomials. (You will probably need to zoom in and out to find all the roots.)

(b) Using your graph of f'(x), estimate the intervals of increase and decrease of f(x). Estimate the local max/min values and their locations.

(c) Using your graph of f''(x), estimate the intervals of concavity of f(x). Estimate the inflection points.

(d) Sketch graphs of f that reveal all the important aspects of the curve. You will need to sketch more than one graph.

- 3. Consider the function  $g(x) = 6 \sin x x^2$  on the interval [-5,3]. (See Example 4.6.4.)
  - (a) Using *Mathematica*, graph g(x), and draw a rough sketch below.

(b) Using *Mathematica*, graph g'(x), and use this graph to estimate the intervals of increase and decrease of g(x). Estimate the local max/min values and their locations.

(c) Using *Mathematica*, graph g''(x), and use this graph to estimate the intervals of concavity of g(x). Estimate the inflection points.

(d) Sketch graphs of g that reveal all the important aspects of the curve. You will need to sketch more than one graph.